



ETHANOL FIREPLACES

Series FEH2

Collection 2026/2027

FUEGOLO

Minimal design. Maximum flame.

At Fuegolo, we believe that fire is more than a source of warmth. It is an expression of design, atmosphere and emotion.

Our passion is to create premium ethanol burners that bring the beauty of a real flame into contemporary spaces. Combining refined aesthetics, quality materials, precision engineering and attention to detail, we create fire solutions designed to become a natural part of modern architecture and interior design.

Fuegolo burners are developed for those who appreciate clean design, authentic flame and freedom of installation — from elegant residential interiors to sophisticated hospitality and architectural projects.

We are committed to continuously improving our products, focusing on quality, reliability, functionality and timeless design.

Because for us, fire is not simply a product. It is an experience.



Fuegolo
Premium ethanol fire
Designed in Spain





The collection

Five configurations in 2 sizes. Find the page for each model below.

Size	Uno	Corner	Panorama	U-line	Vision
600	p. 04	p. 05	p. 06	p. 07	p. 08
1000	p. 09	p. 10	p. 11	p. 12	p. 13



TECHNICAL OVERVIEW BY SIZE

Size	Fuel capacity	Approx. consumption/h	Burn time	Heat output
600	1.6 L	0.27 L	7.0 h	2.0 kW
1000	3.6 L	0.47 L	7.7 h	3.6 kW

All configurations of the same size share the same technical data.

FEH2-UNO 600

Uno 600 H2



2.0 kW
Heat output



7.0 h
Burn time

1.6 L
Fuel capacity

0.27 L/h
Approx. consumption

FEH2-C 600

Corner 600 H2



2.0 kW
Heat output



7.0 h
Burn time

1.6 L
Fuel capacity

0.27 L/h
Approx. consumption

FEH2-PAN 600

Panorama 600 H2



2.0 kW
Heat output



7.0 h
Burn time

1.6 L
Fuel capacity

0.27 L/h
Approx. consumption

FEH2-U 600

U-line 600 H2



2.0 kW
Heat output



7.0 h
Burn time

1.6 L
Fuel capacity

0.27 L/h
Approx. consumption

FEH2-V 600

Vision 600 H2



2.0 kW
Heat output



7.0 h
Burn time

1.6 L
Fuel capacity

0.27 L/h
Approx. consumption

FEH2-UNO 1000

Uno 1000 H2



3.6 kW
Heat output



7.7 h
Burn time

3.6 L
Fuel capacity

0.47 L/h
Approx. consumption

FEH2-C 1000

Corner 1000 H2



3.6 kW
Heat output



7.7 h
Burn time

3.6 L
Fuel capacity

0.47 L/h
Approx. consumption

FEH2-PAN 1000

Panorama 1000 H2



3.6 kW
Heat output



7.7 h
Burn time

3.6 L
Fuel capacity

0.47 L/h
Approx. consumption

FEH2-U 1000

U-line 1000 H2



3.6 kW
Heat output



7.7 h
Burn time

3.6 L
Fuel capacity

0.47 L/h
Approx. consumption

FEH2-V 1000

Vision 1000 H2



3.6 kW
Heat output

7.7 h
Burn time

3.6 L
Fuel capacity

0.47 L/h
Approx. consumption



Minimal design. Maximum flame.

Designed in Spain

fuegolo.com · 0034 664 890098