



GAS & BIOETHANOL FIRE

General catalogue

Collection 2026/2027

FUEGOLO

FGH1 · FGH2 · FGH3 · FGP

BGP

FEH1 · FEH2 · FEH3 · FEP

BEP · BES



ABOUT FUEGOLO

Minimal design. Maximum flame.

At FuegoLO, we believe that fire is more than a source of warmth. It is an expression of design, atmosphere and emotion.

Our passion is to create premium gas and ethanol fire that brings the beauty of a real flame into contemporary spaces. Combining refined aesthetics, quality materials, precision engineering and attention to detail, we create fire solutions designed to become a natural part of modern architecture and interior design.

FuegoLO develops contemporary fireplace and burner solutions for architects, interior designers, fireplace manufacturers, dealers and professional installers — from elegant residential interiors to sophisticated hospitality and architectural projects.

We are committed to continuously improving our products, focusing on quality, reliability, functionality and timeless design.



FuegoLO
Designed in Spain

Contents

The collection at a glance p. 04

Viewing configurations p. 05

Gas burner options p. 06

Gas fireplaces p. 07

FGH1 (p. 08) · FGH2 (p. 09) · FGH3 (p. 10) · FGP (p. 11)

Gas burners p. 12

BGP (p. 13)

Bioethanol fireplaces p. 14

FEH1 (p. 15) · FEH2 (p. 16) · FEH3 (p. 17) · FEP (p. 18)

Bioethanol burners p. 19

BEP (p. 20) · BES (p. 21)

Control systems p. 22

FGR-1 · FGR-2 remote controls for all gas models

This general catalogue presents the complete Fuegolo range. Every series also has its own detailed catalogue, with drawings and technical data for each model, available at fuegolo.com.

The collection at a glance

Series	Type	Widths (mm)	Configurations / options	Height* (mm)	Heat output
FGH1	Gas fireplace	600 – 1800	Uno · Corner · Panorama · U-line · Vision	941	up to 25.3 kW
FGH2	Gas fireplace	600 · 1000	Uno · Corner · Panorama · U-line · Vision	1581	up to 17.9 kW
FGH3	Gas fireplace	600 · 1000	Uno · Corner · Panorama · U-line · Vision	1981	up to 17.9 kW
FGP	Gas fireplace	600 – 1800	Uno · Corner · Panorama · U-line · Vision	591	up to 25.3 kW
BGP	Gas burner	600 – 1800	Single · Split line · Dual independent	—	up to 25.3 kW
FEH1	Bioethanol fireplace	600 – 1800	Uno · Corner · Panorama · U-line · Vision	941	2.0 – 6.6 kW
FEH2	Bioethanol fireplace	600 · 1000	Uno · Corner · Panorama · U-line · Vision	1581	2.0 – 3.6 kW
FEH3	Bioethanol fireplace	600 · 1000	Uno · Corner · Panorama · U-line · Vision	1981	2.0 – 3.6 kW
FEP	Bioethanol fireplace	600 – 1800	Uno · Corner · Panorama · U-line · Vision	591	2.0 – 6.6 kW
BEP	Bioethanol burner	540 – 1740	4 lengths	51	2.0 – 6.6 kW
BES	Bioethanol burner	800 – 2000	5 lengths	51	3.0 – 7.5 kW

* Overall height of the Uno model for fireplaces; body height for bioethanol burners. Gas heat output is the maximum direct heat output of the largest burner option. Full data per model in each series catalogue.

11

series

5

viewing configurations

2


fuels: gas and bioethanol

600–
2000


mm widths

Five ways to see the fire


All Fuegolo fireplaces — gas (FGH1, FGH2, FGH3, FGP) and bioethanol (FEH1, FEH2, FEH3, FEP) — are available in up to five viewing configurations. The U-line configuration is not available in the 1800 mm width.




Uno




Corner



Panorama



U-line




Vision

Illustrations: FEH1 1000.

One flame, or two

Fuegolo gas fireplaces (FGH1, FGH2, FGH3, FGP) and BGP gas burners offer single, split line and dual independent burner options, so that each fire feature can be tailored to its space. Available options depend on the width.



Single burner	One line, independently controlled
Split line	One full line + one partial line, independently controlled
Dual independent	Two separate lines, independently controlled


Width	Available burner options
600 mm	Single burner · Dual independent
1000 mm	Single burner · Split line
1400 mm	Single burner · Split line · Dual independent
1800 mm	Single burner · Dual independent

Gas fireplaces (FGH1, FGP). FGH2 and FGH3 are available in 600 and 1000 mm. BGP 1000 also offers dual independent.

Gas fireplaces

Gas fireplaces with a clean, uninterrupted view of the flame, in five viewing configurations and single, split line or dual independent burner options.

FGH1	p. 08
FGH2	p. 09
FGH3	p. 10
FGP	p. 11



 GAS FIREPLACE

Series FGH1

FUEGOLO

The FGH1 series offers a tall viewing opening in up to five viewing configurations and four widths from 600 to 1800 mm, with single, split line and dual independent burner options.

941 mm
height (Uno)

600–1800
widths, mm

25.3 kW
max. direct heat output


AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•
1400 mm	•	•	•	•	•
1800 mm	•	•	•	—	•

BURNER DATA BY WIDTH

Width	Burner	Natural gas range	Propane range	Direct heat output	Flue diameter
600 mm	Single burner	2.4 – 5.9 kW	2.7 – 6.3 kW	6.3 kW	130–200 mm
600 mm	Dual independent	2.4 – 11.8 kW	2.7 – 12.6 kW	12.6 kW	130–200 mm
1000 mm	Single burner	4.3 – 10.5 kW	4.8 – 11.6 kW	11.6 kW	130–200 mm
1000 mm	Split line	4.3 – 16.4 kW	4.8 – 17.9 kW	17.9 kW	130–200 mm
1400 mm	Single burner	6.2 – 15.3 kW	6.6 – 16.2 kW	16.2 kW	130–200 mm
1400 mm	Split line	6.2 – 21.2 kW	6.2 – 22.5 kW	22.5 kW	130–200 mm
1400 mm	Dual independent	2.4 – 22.1 kW	2.7 – 23.7 kW	23.7 kW	130–200 mm
1800 mm	Single burner	7.9 – 19.9 kW	8.4 – 20.9 kW	20.9 kW	150–250 mm
1800 mm	Dual independent	4.3 – 24.2 kW	4.8 – 25.3 kW	25.3 kW	180–250 mm

Full drawings and data for every model: FGH1 catalogue at fuegolo.com.



 GAS FIREPLACE

Series FGH2

 FUEGOLO

The FGH2 series offers a very tall viewing opening in up to five viewing configurations and two widths, 600 and 1000 mm, with single, split line and dual independent burner options.

1581 mm

height (Uno)

600 · 1000

widths, mm

17.9 kW

max. direct heat output


AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•

BURNER DATA BY WIDTH

Width	Burner	Natural gas range	Propane range	Direct heat output	Flue diameter
600 mm	Single burner	2.4 - 5.9 kW	2.7 - 6.3 kW	6.3 kW	130-200 mm
600 mm	Dual independent	2.4 - 11.8 kW	2.7 - 12.6 kW	12.6 kW	130-200 mm
1000 mm	Single burner	4.3 - 10.5 kW	4.8 - 11.6 kW	11.6 kW	130-200 mm
1000 mm	Split line	4.3 - 16.4 kW	4.8 - 17.9 kW	17.9 kW	130-200 mm

Full drawings and data for every model: FGH2 catalogue at fuegolo.com.



 GAS FIREPLACE

Series FGH3

FUEGOLO

The FGH3 series offers an extra-tall viewing opening in up to five viewing configurations and two widths, 600 and 1000 mm, with single, split line and dual independent burner options.

1981 mm

height (Uno)

600 · 1000

widths, mm

17.9 kW

max. direct heat output


AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•

BURNER DATA BY WIDTH

Width	Burner	Natural gas range	Propane range	Direct heat output	Flue diameter
600 mm	Single burner	2.4 - 5.9 kW	2.7 - 6.3 kW	6.3 kW	130-200 mm
600 mm	Dual independent	2.4 - 11.8 kW	2.7 - 12.6 kW	12.6 kW	130-200 mm
1000 mm	Single burner	4.3 - 10.5 kW	4.8 - 11.6 kW	11.6 kW	130-200 mm
1000 mm	Split line	4.3 - 16.4 kW	4.8 - 17.9 kW	17.9 kW	130-200 mm

Full drawings and data for every model: FGH3 catalogue at fuegolo.com.



 GAS FIREPLACE

Series FGP

 FUEGOLO

The FGP series is available in five viewing configurations and four widths from 600 to 1800 mm, with single, split line and dual independent burner options.

591 mm
height (Uno)

600–1800
widths, mm

25.3 kW
max. direct heat output

AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•
1400 mm	•	•	•	•	•
1800 mm	•	•	•	—	•

BURNER DATA BY WIDTH

Width	Burner	Natural gas range	Propane range	Direct heat output	Flue diameter
600 mm	Single burner	2.4 – 5.9 kW	2.7 – 6.3 kW	6.3 kW	130–200 mm
600 mm	Dual independent	2.4 – 11.8 kW	2.7 – 12.6 kW	12.6 kW	130–200 mm
1000 mm	Single burner	4.3 – 10.5 kW	4.8 – 11.6 kW	11.6 kW	130–200 mm
1000 mm	Split line	4.3 – 16.4 kW	4.8 – 17.9 kW	17.9 kW	130–200 mm
1400 mm	Single burner	6.2 – 15.3 kW	6.6 – 16.2 kW	16.2 kW	130–200 mm
1400 mm	Split line	6.2 – 21.2 kW	6.2 – 22.5 kW	22.5 kW	130–200 mm
1400 mm	Dual independent	2.4 – 22.1 kW	2.7 – 23.7 kW	23.7 kW	130–200 mm
1800 mm	Single burner	7.9 – 19.9 kW	8.4 – 20.9 kW	20.9 kW	150–250 mm
1800 mm	Dual independent	4.3 – 24.2 kW	4.8 – 25.3 kW	25.3 kW	150–250 mm


Full drawings and data for every model: FGP catalogue at fuegolo.com.

Gas burners

The BGP series is available in four sizes from 600 to 1800 mm, with single, split line and dual independent burner options, so that each fire feature can be tailored to its space.

BGP

p. 13



 GAS BURNER

Series BGP

 FUEGOLO

Gas burners in four sizes from 600 to 1800 mm, with single, split line and dual independent burner options.

600–1800

sizes, mm

3

burner options

25.3 kW

max. direct heat output

BURNER DATA BY MODEL


Model	Burner	Natural gas range	Propane range	Direct heat output	Flue diameter
BGP 600	Single burner	2.4 – 5.9 kW	2.7 – 6.3 kW	6.3 kW	130–200 mm
BGP 600	Dual independent	2.4 – 11.8 kW	2.7 – 12.6 kW	12.6 kW	130–200 mm
BGP 1000	Single burner	4.3 – 10.5 kW	4.8 – 11.6 kW	11.6 kW	130–200 mm
BGP 1000	Split line	4.3 – 16.4 kW	4.8 – 17.9 kW	17.9 kW	130–200 mm
BGP 1000	Dual independent	4.3 – 16.4 kW	4.8 – 17.9 kW	17.9 kW	130–200 mm
BGP 1400	Single burner	6.2 – 15.3 kW	6.6 – 16.2 kW	16.2 kW	130–200 mm
BGP 1400	Split line	6.2 – 21.2 kW	6.2 – 22.5 kW	22.5 kW	130–200 mm
BGP 1800	Single burner	7.9 – 19.9 kW	8.4 – 20.9 kW	20.9 kW	150–250 mm
BGP 1800	Split line	4.3 – 24.2 kW	4.8 – 25.3 kW	25.3 kW	180–250 mm

Full drawings and data for every model: BGP catalogue at fuegolo.com.

Bioethanol fireplaces

Ethanol fireplaces with a real flame and no need for a traditional chimney, in five viewing configurations and three heights.

FEH1	p. 15
FEH2	p. 16
FEH3	p. 17
FEP	p. 18



 BIOETHANOL FIREPLACE

Series FEH1

 FUEGOLO

Ethanol fireplaces in five viewing configurations and four widths from 600 to 1800 mm.

941 mm
height (Uno)

600–1800
widths, mm

2.0–6.6 kW
heat output

AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•
1400 mm	•	•	•	•	•
1800 mm	•	•	•	—	•

TECHNICAL DATA BY WIDTH

Width	Fuel capacity	Approx. consumption/h	Burn time	Heat output
600 mm	1.6 L	0.27 L	7.0 h	2.0 kW
1000 mm	3.6 L	0.47 L	7.7 h	3.6 kW
1400 mm	5.3 L	0.67 L	7.9 h	5.0 kW
1800 mm	7.0 L	0.87 L	8.0 h	6.6 kW

Full drawings and data for every model: FEH1 catalogue at fuegolo.com.



 BIOETHANOL FIREPLACE

Series FEH2

 FUEGOLO

Tall ethanol fireplaces in five viewing configurations and two widths, 600 and 1000 mm.

1581 mm
height (Uno)

600 · 1000
widths, mm

2.0–3.6 kW
heat output


AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•

TECHNICAL DATA BY WIDTH

Width	Fuel capacity	Approx. consumption/h	Burn time	Heat output
600 mm	1.6 L	0.27 L	7.0 h	2.0 kW
1000 mm	3.6 L	0.47 L	7.7 h	3.6 kW

Full drawings and data for every model: FEH2 catalogue at fuegolo.com.



 BIOETHANOL FIREPLACE

Series FEH3

 FUEGOLO

Extra-tall ethanol fireplaces in five viewing configurations and two widths, 600 and 1000 mm.

1981 mm
height (Uno)

600 · 1000
widths, mm

2.0–3.6 kW
heat output

AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•

TECHNICAL DATA BY WIDTH

Width	Fuel capacity	Approx. consumption/h	Burn time	Heat output
600 mm	1.6 L	0.27 L	7.0 h	2.0 kW
1000 mm	3.6 L	0.47 L	7.7 h	3.6 kW

Full drawings and data for every model: FEH3 catalogue at fuegolo.com.



 BIOETHANOL FIREPLACE

Series FEP

 FUEGOLO

Ethanol fireplaces with a 591 mm overall height (Uno), in five viewing configurations and four widths from 600 to 1800 mm.

591 mm

height (Uno)

600–1800

widths, mm

2.0–6.6 kW

heat output

AVAILABLE MODELS

Width	Uno	Corner	Panorama	U-line	Vision
600 mm	•	•	•	•	•
1000 mm	•	•	•	•	•
1400 mm	•	•	•	•	•
1800 mm	•	•	•	—	•

TECHNICAL DATA BY WIDTH

Width	Fuel capacity	Approx. consumption/h	Burn time	Heat output
600 mm	1.6 L	0.27 L	7.0 h	2.0 kW
1000 mm	3.6 L	0.47 L	7.7 h	3.6 kW
1400 mm	5.3 L	0.67 L	7.9 h	5.0 kW
1800 mm	7.0 L	0.87 L	8.0 h	6.6 kW

Full drawings and data for every model: FEP catalogue at fuegolo.com.

Bioethanol burners

Premium ethanol burners that bring the beauty of a real flame into contemporary spaces, with clean design and freedom of installation.

BEP	p. 20
-----	-------

BES	p. 21
-----	-------



 BIOETHANOL BURNER

Series BEP

 FUEGOLO

Ethanol burners in four lengths from 540 to 1740 mm, 240 mm wide, with burn times of 7.0 to 8.0 hours.

540–1740

lengths, mm

7.0–8.0 h

burn time

2.0–6.6 kW

heat output

TECHNICAL DATA

Model	Dimensions (mm)	Cut-out (mm)	Fuel	Consumption/h	Burn time	Heat output
BEP 600	540×240×51	510×210	1.9 L	0.27 L	7.0 h	2.0 kW
BEP 1000	940×240×51	910×210	3.6 L	0.47 L	7.7 h	3.6 kW
BEP 1400	1340×240×51	1310×210	5.3 L	0.67 L	7.9 h	5.0 kW
BEP 1800	1740×240×51	1710×210	7.0 L	0.87 L	8.0 h	6.6 kW

Full drawings and data for every model: BEP catalogue at fuegolo.com.



 BIOETHANOL BURNER

Series BES

 FUEGOLO

Slim ethanol burners in five lengths from 800 to 2000 mm, 180 mm wide.

800–2000

lengths, mm

6.3–6.6 h

burn time

3.0–7.5 kW

heat output

TECHNICAL DATA

Model	Dimensions (mm)	Cut-out (mm)	Fuel	Consumption/h	Burn time	Heat output
BES 800	800×180×51	792×156	2.5 L	0.4 L	6.3 h	3.0 kW
BES 1000	1000×180×51	992×156	3.2 L	0.5 L	6.4 h	3.8 kW
BES 1200	1200×180×51	1192×156	3.9 L	0.6 L	6.5 h	4.5 kW
BES 1600	1600×180×51	1592×156	5.2 L	0.8 L	6.5 h	6.0 kW
BES 2000	2000×180×51	1992×156	6.6 L	1.0 L	6.6 h	7.5 kW

Full drawings and data for every model: BES catalogue at fuegolo.com.

Control systems



Every Fuegolo gas model is available with FGR-1 or FGR-2 — choose it when ordering.



Receiver FGR-1



Remote FGT-1

FGR-1 + FGT-1

Remote ignition, thermostat and timer.



Receiver FGR-2



Remote FGT-2

FGR-2 + FGT-2

All FGR-1 functions plus flame height, pilot, rear burner, fan, light and AUX.

FUNCTION	FGR-1 + FGT-1	FGR-2 + FGT-2
Remote on / off and electronic ignition	•	•
Flame height adjustment (5 levels)	—	•
Thermostat – SET mode	•	•
Timer (15–180 min)	•	•
Standing pilot	—	•
Rear burner on / off control	—	•
Childproof and low battery indicator	•	•
Circulation fan · 3 speeds · delay ON/OFF	—	•
Light dimmer · 3 levels	—	•
AUX output	—	•
Radio frequency	434 MHz	434 MHz
Remote handset batteries	3 × 1.5 V AAA	3 × 1.5 V AAA
Receiver power	AC adapter 6 V DC, 1.5 A	4 × 1.5 V AA or approved AC adapter

Operating instructions for both systems are included in the installation manual and available at fuegolo.com/downloads.



Minimal design. Maximum flame.

Designed in Spain

fuegolo.com · 0034 664 890098